

ADMIRALTY 30

Sailboat Specifications

Hull Type:	Lifting Keel		Rigging Type:	Fractional Sloop	
LOA:	29.53 ft / 9.00 m		LWL:	27.92 ft / 8.51 m	
Beam:	5.68 ft / 1.73 m		S.A. (reported):	430.00 ft ² / 39.95 m ²	
Draft (max):	7.22 ft / 2.20 m		Draft (min):	2.33 ft / 0.71 m	
Displacement:	2,425 lb / 1,100 kg		Ballast:	1,543 lb / 700 kg	
S.A./Disp.:	38.21	Bal./Disp.:	63.63	Disp./Len.:	49.74
First Built:			2006		
Builder:			Admiralty Yachts (SINGAPORE)		
Designer:			John Swarbrick		
Website:			jsyachtsusa.com		

Sailboat Calculations

S.A./Disp.:	38.21
Bal./Disp.:	63.63
Disp./Len.:	49.74
Comfort Ratio:	13.04
Capsize Screening Formula:	1.69

Sailboat Organizations

Builders:	Admiralty Yachts
------------------	------------------

Additional Notes

Self tacking furling jib.

Asymmetric spinnaker flown from the fixed bowsprit.

Spinnaker Area: 612 sq.ft./53 m²