

ALBERG 37

Sailboat Specifications

Hull Type:	Long Keel		Rigging Type:	Masthead Sloop	
LOA:	37.17 ft / 11.33 m		LWL:	26.50 ft / 8.08 m	
Beam:	10.17 ft / 3.10 m		S.A. (reported):	647.00 ft ² / 60.11 m ²	
Draft (max):			5.50 ft / 1.68 m		
Displacement:	16,800 lb / 7,620 kg		Ballast:	6,500 lb / 2,948 kg	
S.A./Disp.:	15.84	Bal./Disp.:	38.69	Disp./Len.:	403.02
Ballast Type:			Lead		
First Built:	1967	Last Built:	1988	# Built:	248
Builder:			Whitby Boat Works Ltd. (CAN)		
Designer:			Carl Alberg		

Auxiliary Power/Tanks (orig. equip.)

Make:	Volvo	Model:	MD2B
Type:	Diesel	HP:	23
Fuel:		35 gals / 132 L	

Sailboat Calculations

S.A./Disp.:	15.84
Bal./Disp.:	38.69
Disp./Len.:	403.02
Comfort Ratio:	39.80
Capsize Screening Formula:	1.59
S#:	1.05

Rig and Sail Particulars

I:	44.25 ft / 13.49 m	J:	14.00 ft / 4.27 m
P:	38.50 ft / 11.73 m	E:	17.50 ft / 5.33 m
S.A. Fore:	309.75 ft ² / 28.78 m ²	S.A. Main:	336.88 ft ² / 31.30 m ²
S.A. Total (100% Fore + Main Triangles)	646.63 ft ² / 60.07 m ²		
S.A./Disp. (calc.):	15.83	Est. Forestay Len.:	46.41 ft / 14.15 m

Sailboat Accommodations

Water:	60 gals / 227 L
---------------	-----------------

Sailboat Organizations

Designers:	Carl Alberg
Builders:	Whitby Boat Works Ltd. (CAN)
Associations:	Alberg 37 Owners

Additional Notes

The Mark I was built between 1967 - 1971.

The Mark II has less wood in the construction than the Mark I, employing instead a molded floor support, molded overhead liner and a fiberglass toerail.

Most boats were delivered with either the 23-hp Volvo MD2B or the 27-hp MD 11C (MK II). A 40-hp Westerbeke 4-107 was an option.

Yawl rig measurements:

I: 44.25'

J: 14.00'

P: 38.50'

E: 16.00'

PY: 18.00'

EY: 6.50'

Tot. working SA: 676 sq.ft.