

ALLEGRO 30

Sailboat Specifications

Hull Type:	Long Keel	Rigging Type:	Masthead Sloop
LOA:	30.02 ft / 9.15 m	LWL:	27.39 ft / 8.35 m
Beam:		10.33 ft / 3.15 m	
Draft (max):		4.66 ft / 1.42 m	
Displacement:	8,708 lb / 3,950 kg	Ballast:	4,409 lb / 2,000 kg
Bal./Disp.:	50.63	Disp./Len.:	189.19
Ballast Type:		Iron	
First Built:		1966	
Builder:		Allegro Båt AB (SWE)	
Designer:		Lars Olof Norlin	

Sailboat Calculations

Bal./Disp.:	50.63
Disp./Len.:	189.19
Comfort Ratio:	21.30
Capsize Screening Formula:	2.01
S#:	3.15

Rig and Sail Particulars

I:	42.70 ft / 13.01 m	J:	12.17 ft / 3.71 m
P:	38.48 ft / 11.73 m	E:	13.38 ft / 4.08 m
S.A. Fore:	259.83 ft ² / 24.14 m ²	S.A. Main:	257.43 ft ² / 23.92 m ²
S.A. Total (100% Fore + Main Triangles)		517.26 ft ² / 48.06 m ²	
S.A./Disp. (calc.):	19.62	Est. Forestay Len.:	44.40 ft / 13.53 m

Sailboat Organizations

Designers:	Lars Olof Norlin
-------------------	------------------