

C&C 33

Sailboat Specifications

Hull Type:	Fin w/spade rudder		Rigging Type:	Masthead Sloop	
LOA:	32.87 ft / 10.02 m		LWL:	26.42 ft / 8.05 m	
Beam:	10.51 ft / 3.20 m		S.A. (reported):	502.00 ft ² / 46.64 m ²	
Draft (max):			5.50 ft / 1.68 m		
Displacement:	9,800 lb / 4,445 kg		Ballast:	4,075 lb / 1,848 kg	
S.A./Disp.:	17.60	Bal./Disp.:	41.58	Disp./Len.:	237.24
Ballast Type:			Lead		
First Built:	1974	Last Built:	1977	# Built:	209
Builder:			C&C Yachts		
Designer:			C&C		

Auxiliary Power/Tanks (orig. equip.)

Make:	Universal	Model:	Atomic 4
Type:	Gas	HP:	30
Fuel:		20 gals / 76 L	

Sailboat Calculations

S.A./Disp.:	17.60
Bal./Disp.:	41.58
Disp./Len.:	237.24
Comfort Ratio:	23.28
Capsize Screening Formula:	1.97
S#:	2.36

Rig and Sail Particulars

I:	43.00 ft / 13.11 m	J:	14.00 ft / 4.27 m
P:	37.25 ft / 11.35 m	E:	10.75 ft / 3.28 m
S.A. Fore:	301.00 ft ² / 27.96 m ²	S.A. Main:	200.22 ft ² / 18.60 m ²
S.A. Total (100% Fore + Main Triangles)	501.22 ft ² / 46.56 m ²		
S.A./Disp. (calc.):	17.57	Est. Forestay Len.:	45.22 ft / 13.78 m

Sailboat Accommodations

Water:	20 gals / 76 L
---------------	----------------

Sailboat Organizations

Designers:	C&C Design		Robert Ball
Builders:	C&C Yachts		
Related Sailboats:	BALTIC 33		C&C 3/4 TON

Additional Notes

Replaced with an entirely new C&C 33 in 1984.

The C&C 30E, (1977-1982) built and sold in Europe, was based on this design.