

COM-PAC 19

Sailboat Specifications

Hull Type:	Fin w/transom hung rudder		Rigging Type:	Masthead Sloop	
LOA:	19.00 ft / 5.79 m		LWL:	16.33 ft / 4.98 m	
Beam:	7.00 ft / 2.13 m		S.A. (reported):	145.00 ft ² / 13.47 m ²	
Draft (max):			2.00 ft / 0.61 m		
Displacement:	2,000 lb / 907 kg		Ballast:	800 lb / 363 kg	
S.A./Disp.:	14.65	Bal./Disp.:	40.00	Disp./Len.:	205.03
First Built:			1979		
Builder:			Com-Pac Yachts (USA)		
Designer:			Bob Johnson		

Sailboat Calculations

S.A./Disp.:	14.65
Bal./Disp.:	40.00
Disp./Len.:	205.03
Comfort Ratio:	13.50
Capsize Screening Formula:	2.22
S#:	2.36

Rig and Sail Particulars

I:	21.75 ft / 6.63 m	J:	6.42 ft / 1.96 m
P:	18.75 ft / 5.72 m	E:	8.00 ft / 2.44 m
S.A. Fore:	69.82 ft ² / 6.49 m ²	S.A. Main:	75.00 ft ² / 6.97 m ²
S.A. Total (100% Fore + Main Triangles)		144.82 ft ² / 13.45 m ²	
S.A./Disp. (calc.):	14.63	Est. Forestay Len.:	22.68 ft / 6.91 m

Sailboat Organizations

Designers:	Robert K. Johnson
Builders:	Com-Pac Yachts

Additional Notes

Photo courtesy Adam Hunt.