

SPRINTO (SK)

Sailboat Specifications

Hull Type:	Swing Keel		Rigging Type:	Fractional Sloop	
LOA:	21.65 ft / 6.60 m		LWL:	21.49 ft / 6.55 m	
Beam:	7.51 ft / 2.29 m		S.A. (reported):	203.00 ft ² / 18.86 m ²	
Draft (max):	5.25 ft / 1.60 m		Draft (min):	0.66 ft / 0.20 m	
Displacement:	1,323 lb / 600 kg		Ballast:	441 lb / 200 kg	
S.A./Disp.:	27.01	Bal./Disp.:	33.33	Disp./Len.:	59.51
First Built:			2000		
Builder:			Archambault (FRA)		
Designer:			Joubert/Nivelt		

Sailboat Calculations

S.A./Disp.:	27.01
Bal./Disp.:	33.33
Disp./Len.:	59.51
Comfort Ratio:	6.47
Capsize Screening Formula:	2.74
S#:	6.90

Rig and Sail Particulars

I:	21.88 ft / 6.67 m	J:	5.91 ft / 1.80 m
P:	26.64 ft / 8.12 m	E:	10.37 ft / 3.16 m
S.A. Fore:	64.66 ft ² / 6.01 m ²	S.A. Main:	138.13 ft ² / 12.83 m ²
S.A. Total (100% Fore + Main Triangles)		202.78 ft ² / 18.84 m ²	
S.A./Disp. (calc.):	26.98	Est. Forestay Len.:	22.66 ft / 6.91 m

Sailboat Organizations

Designers:	Joubert-Nivelt
Builders:	Archambault Boats (FRA)

Additional Notes

This design has undergone a number of changes since first introduced. Archambault later offered a drop keel model with a new sailplan.